







# Blowgun Kits




## 0631..09 Blowgun Kit, Lower Connection, Male BSPT Thread

	<p>Technical polymer, nickel-plated brass, treated aluminium, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 09</b></p>	16	192.5	139.5	152	0.441
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0659 00 13).</p>							




## 0631..01 Safety Blowgun Kit, Lower Connection, Male BSPT Thread

	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 01</b></p>	16	198.5	148.5	154	0.575
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0654 00 13).</p>							

## 0631..23 Energy Saving Blowgun Kit with Angled Nozzle, Male BSPT Thread




	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 23</b></p>	16	195	148.5	154	0.456
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0654 66 13). External diameter of tube 6 mm</p>							

## 0631..03 Blowgun Kit, Lower Connection with Standard Nozzle, Male BSPT Thread




	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 03</b></p>	16	165	148.5	99	0.528
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0651 66 13).</p>							

# Blowgun Kits




## 0631..02 Blowgun Kit, Upper Connection with Standard Nozzle, Male BSPT Thread

	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 02</b></p>	16	163	148.5	101	0.524
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0658 66 13).</p>							




## 0631..05 Blowgun Kit Lower Connection with Short Angled Nozzle, Male BSPT Thread

	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 05</b></p>	16	195,5	148,5	163	0.536
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0656 66 13).</p>							

## 0631..04 Blowgun Kit, Lower Connection with Short Angled Nozzle, Male BSPT Thread




	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 04</b></p>	16	195	148.5	163.5	0.536
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0657 66 13).</p>							

## 0631..07 Blowgun Kit, Lower Connection with Interchangeable Nozzle, Male BSPT Thread




	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 07</b></p>	16	163	148.5	91	0.617
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0656 66 13). Delivered without nozzle.</p>							

# Blowgun Kits

## 0631..06 Blowgun Kit, Upper Connection with Interchangeable Nozzle, Male BSPT Thread

	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 06</b></p>	16	161.5	148.5	93	0.501
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0655 66 13). Delivered without nozzle.</p>							

## 0631..08 Energy Saving Blowgun Kit, Lower Connection, Interchangeable Nozzle, Male BSPT Thread

	<p>Technical polymer, nickel-plated brass, NBR, polyurethane tubing</p> 	<p><b>C</b> </p>	<b>F</b>	<b>H</b>	<b>H1</b>	<b>L</b>	<b>kg</b>
		<p>R1/4 <b>0631 00 08</b></p>	16	163	148.5	91	0.496
<p>Flow characteristics, noise level and norm compliance are identical to those of our blowguns (0653 66 13). Delivered without nozzle.</p>							